



7060/4RG PROOF Titonus

Certified stainless steel variable height trolley with four rotating wheels



FEATURES

Titonus is the ideal solution among self loading stretchers and trolleys with adjustable height. The anchoring system of the stretchers to the Titonus trolley is tested and certified UNI EN 1789. The variable height, as well as the legs-folding mechanism for loading and unloading, is guaranteed by mean of 2 mechanical sliding pistons on each axle. 200 mm wheels and the particular configuration of the legs, give to the Titonus trolley stability, manouvrability and ergonomoy.

This version is available with four rotating wheels.



Device certified according to the European harmonized safety standards UNI EN1865- UNI EN1789.

MAIN FEATURES

Size	Adults
Usage	Transport
10G Certification	
Multilevel	
Lying surface	Without Trendelenburg
Wheel type	4 Big Rotating Wheels
Type	
Intermediate height (cm)	61
Max height (cm)	84
Folded height (cm)	25
Width (cm)	44
Rear axle width (cm)	56
Weight (kg)	36,5
Loading capacity (kg)	220
Max loading height (cm)	64
Min loading height (cm)	60
Length (cm)	197
Material	Stainless steel

IMAGES



SEE ALSO



Titanus 7062/4RG PROOF
Stainless steel variable height
trolley with four rotating wheels
high version

ACCESSORIES



Fixed stretcher 1510 PROOF
Fixed stretcher with nylon cover



Fixed stretcher 1515 PROOF
Fixed stretcher with rigid bed



956 PROOF
Fixing system for Titanus automatic loading trolley



608/A-MEB
2 pieces orange belt with metallic hook and MeBer band (L. 155 cm)



608/N-MEB
2 pieces black belt with metallic hook and MeBer band (L. 155 cm)



612/AN-2/MEB
Adjustable thoracic abdominal belt orange/black with MeBer band and 4 points fastening for self loading stretchers and sedan chairs



612/N-2/MEB
Adjustable thoracic abdominal belt black with MeBer band with 4 points fastening for self loading stretchers and sedan chairs